



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/4094/162/12/23/2183

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : ZHEJIANG SAFETREE INDUSTRY TECH CO.,LTD
4F,2# BLD,No.365 Mujin Road,Hi-Tech District,Ningbo,315000
China

Description

PPE Type : *protective glove against mechanical risks*

Product reference : PLG6003P

Article code : SG-603

Glove description : Reinforced palm Leather Work Gloves

Available sizes : 7S/ 8M/ 9L/ 10XL/ 11XXL

Pictures :

SAFETREE®

Art No.: SG-603

Ref. No.: PLG6003P

EN 388:2016 + A1:2018



Lot:XXXX

7S

4244X

ZHEJIANG SAFETREE INDUSTRY TECH CO.,LTD
4/F,2# BLD,No.365 Mujin Road,,Ningbo,China



Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020

-

EN 388:2016 + A1:2018

4 2 4 4 X

At the date of the certificate, the product is in compliance with Annex XVII of REaCh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the user instructions index 01 dated from DECEMBER 2023.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Nadine PIPAZ

Certification team leader



Date of first issue: 26 December 2023

Date of end of validity: 26 December 2028



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

ZHEJIANG SAFETREE INDUSTRY TECH CO.,LTD

MANUFACTURER'S TECHNICAL FILE TO THE
PPE REGULATION 2016/425

Reference of the product	:	PLG6003P
Article code	:	SG-603
Technical file index	:	01
Last update	:	DECEMBER 2023

IDENTIFICATION

Reference of the product :	:	PLG6003P
Article code :	:	SG-603
Basic Model		
Technical file index :	:	01
Last update :	:	DECEMBER 2023

Manufacturer :

ZHEJIANG SAFETREE INDUSTRY TECH CO.,LTD

4F,2# BLD,No.365 Mujin Road,Hi-Tech District,Ningbo,315000

China

tel : +86 574 87725919

fax : +86 574 87725982

Factory :

ZHEJIANG SAFETREE INDUSTRY TECH CO.,LTD

4F,2# BLD,No.365 Mujin Road,Hi-Tech District,Ningbo,315000

China

tel: +86 574 87725919

fax: +86 574 87725982

GLOVE DESCRIPTION

General glove description and intended use:

Reinforced palm Leather Work Gloves

This glove is designed against mechanical risks.

Type of coating finish : no coating

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.5	PPE which may be caught up during use	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard <input checked="" type="checkbox"/> Instruction for use <input checked="" type="checkbox"/> Marking

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm	PALM/ FINGER TIPS	Green	COWHIDE LEATHER			1.6 mm
		Grey	COWHIDE LEATHER			1.6 mm
Back	KNUCKLE/ FINGER TIPS	Grey	COWHIDE LEATHER			1.6 mm
		BLUE/ RED/ BLACK + WHITE	POLYCOTTON + ELASTIC (nylon)	125		
Lining	palm lining	white	Polyester	40		
Cuff		BLUE/ RED/ BLACK + BEIGE	POLYCOTTON + PASTE PVC	180		
Binding		BLUE	Polyester	80		

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity : 4

Available size range: 7S/ 8M/ 9L/ 10XL/ 11XXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	2
Tear strength resistance	4
Puncture resistance	4
Cut Resistance method (EN ISO 13997)	X
Impact Protection	N/A

The levels of performance have been measured on the palm.

TEST REPORTS

Laboratory	CTC	Other
EN ISO 21420 + innocuousness	S230605715_1; S230605714_1 (DMFU); S230605718_1; S230706370_1 ; S230605702_1	
EN 388	S230605702_1	

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : PLG6003P

Article Code : SG-603

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :

SAFETREE®

Art No.: SG-603

Ref. No.: PLG6003P

EN 388:2016 + A1:2018



Lot:XXXX

7S

4244X

ZHEJIANG SAFETREE INDUSTRY TECH CO.,LTD
4/F,2# BLD,No.365 Mujin Road,,Ningbo,China

Marking of packaging example :

SAFETREE®

Art No.: SG-603

Ref. No.: PLG6003P

EN 388:2016 + A1:2018



Lot:XXXX

7S

4244X

ZHEJIANG SAFETREE INDUSTRY TECH CO.,LTD
4/F,2# BLD,No.365 Mujin Road,,Ningbo,China

Method of marking on the glove :

Silk screen printing on back

Packaging suitable for transport:

Normally every 12 pair in a polybag, and every 10 doz.prs. In an carton.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

Step 1: inform the factory to prepare correct material according to CE standard as schedule.

Step 2: Our QC will check about quality, color of fabric and dipping gloves whether conform with our confirmation samples.

Step 3 :do chemical and physical pre-test for the materials under EN388(Abrasion/Blade cut/tear strength/Puncture) and EN ISO 21420 picked up by QC at random 1 time/year.

Step 4: will check all the package material and method when the factory start to package.

Step 5 : do inline inspection when factory finish 20% products.

(check about the Qty they finished,workmanship,weight,appearance as color,odor,size,marking,packaging.)

Step 6: For the reject products ,will re-make them or pile them at reject area if can not re-make.

Step 7 : do final inspection when factory finish 100% products.

(check about the improvement status for problems which was found when inline inspection,

Qty,workmanship,color,odor,size,marking,packaging,shipping mark)

AQL2.5/4.0 will be as reference.

INSTRUCTIONS FOR USE

ZHEJIANG SAFETREE INDUSTRY TECH CO.,LTD

4F,2# BLD,No.365 Mujin Road,Hi-Tech District,Ningbo,315000

China

Glove reference : PLG6003P

Article code: SG-603

User notice index : 01

Last update : DECEMBER 2023

Glove description :

Reinforced palm Leather Work Gloves

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

SAFETREE®

Art No.: SG-603

Ref. No.: PLG6003P

EN 388:2016 + A1:2018



Lot:XXXX

7S

4244X

ZHEJIANG SAFETREE INDUSTRY TECH CO.,LTD
4/F,2# BLD,No.365 Mujin Road,,Ningbo,China

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity: 4

Available size range: 7S/ 8M/ 9L/ 10XL/ 11XXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Information about marking

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.



The CE marking means that this product meets the requirements of the regulation 2016/425

Mechanical hazard - EN 388:2016 + A1:2018



4 2 4 4 X

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	2	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	4	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		



Read carefully the instructions for use provided with the product

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear...).

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available on : www.chinasafetree.com